Supplement Report

Agency: **Sonoma Police Department** Case #: **SO220000538.002**

CONTROLLED DOCUMENT - DO NOT DUPLICATE

Incident Information

Date/Time Reported: **10/15/2022 2213**	Occurred: **10/15/2022 2213**
Location: **135 W NAPA ST , SONOMA CA 95476**	
UCR Status:	Officer:
Related Cases: SD221015016	

Narrative

SUPPLEMENT
Written by: **McDonell, Christopher 1102880**
Date/Time: **10/16/2022 05:56:00**

On 10/15/22, at approximately 2213 hours, Sonoma PD Officers were dispatched to a firearm brandishing near Steiner's Bar in the Sonoma Plaza. SCSO dispatch advised that the suspect (later identified as Nathan James SMART) threw a chair at a limousine, then brandished a black firearm. While in route to this incident, I activated my department issued BWC.

As I drove through Hwy 12 and Riverside Drive, Deputy J. Clayton advised of 'shots fired' near [redacted]. I arrived on scene and observed a SMART laying along the south curb line of W. Napa Street, just west of 1st Street West. Several deputies were detaining SMART at that time. I assisted deputies with administering medical aid to SMART. I noticed a significant amount of blood coming from SMART's left bicep area. The blood appeared to be coming from a through-and-through gunshot wound on his upper arm. I applied a tourniquet above SMART's bicep, just below the shoulder. I then assisted medical personnel (Sonoma Valley Fire) with placing SMART on a gurney.

At 2226 hours, I accompanied medical staff with SMART to Queen of the Valley Hospital in Napa. At 2247 hours, the ambulance arrived to Queen of the Valley. I contacted Dr. Sheppard at the hospital who advised SMART was listed in "critical" condition due to the bicep would having penetrated an artery. It was determined that SMART needed to be airlifted to UC David Medical Center for further trauma care. At 0212 hours (10/16/22), Reach medical staff airlifted SMART to UC Davis Medical Center.

It should be noted, prior to the shooting, I was investigating a criminal threats incident involving SMART and his mother (victim). During the incident, SMART threatened to kill his mother and himself. SMART's mother advised during the investigation that SMART was "building" firearms that looked like a "pipe". For further details on the incident, refer to #SD221015016.

Supplement. Attach to Original.